

Thoracic Outlet Syndrome References listed by Title.

1. **AAEM case report 33: costoclavicular mass syndrome.** American Association of Electrodiagnostic Medicine. England, J.D. and Tiel, R.L., Muscle Nerve, 1999. 22(3): p. 412-8.
2. **Actions of the scalene muscles for rotation of the cervical spine in macaque and human.** Buford, J.A., et al., J Orthop Sports Phys Ther, 2002. 32(10): p. 488-96.
3. **Additional vascular compression of the brachial plexus in a cadaver with a cervical rib: case illustration.** Tubbs, R.S., et al., Surg Radiol Anat, 2006. 28(1): p. 112-3.
4. **Adult Brachial Plexus and Thoracic Outlet Surgery.** Merrell, G.A. and Wolfe, S., Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 271-281.
5. **Advances in objective assessment of hand function and outcome assessment of the musician's hand.** Winspur, I., Hand Clin, 2003. 19(3): p. 483-93.
6. **Adventitious Ligaments Simulating Cervical Ribs.** Law, A.A., Ann Surg, 1920. 2: p. 497.
7. **Aggressive fibromatosis of the neck: MR findings.** Garant, M., Remy, H., and Just, N., AJNR Am J Neuroradiol, 1997. 18(8): p. 1429-31.
8. **Anatomical Bases of Transaxillary Resection of the First Rib.** Nguyen, H., et al., Anat clin, 1984. 5: p. 221-233.
9. **Anatomical variations of the scalene triangle: dissection of 10 cadavers.** Rusnak-Smith, S., Moffat, M., and Rosen, E., J Orthop Sports Phys Ther, 2001. 31(2): p. 70-80.
10. **The anatomy and physiology of nerve injury.** Sunderland, S., Muscle Nerve, 1990. 13(9): p. 771-84.
11. **The anatomy of the brachial plexus as displayed by magnetic resonance imaging: technique and application.** Collins, J.D., Disher, A.C., and Miller, T.Q., J Natl Med Assoc, 1995. 87(7): p. 489-98.
12. **Anomalies at the thoracic outlet are frequent in the general population.** Juvonen, T., et al., Am J Surg, 1995. 170(1): p. 33-7.
13. **The anterior scalene muscle in thoracic outlet compression syndrome. Histochemical and morphometric studies.** Machleder, H.I., Moll, F., and

- Verity, M.A., Arch Surg, 1986. 121(10): p. 1141-4.
14. **Appendix: use of multidetector CT and three-dimensional reconstructions in thoracic outlet syndrome: a preliminary report.** Brantigan, C.O., Johnston, R.J., and Roos, D.B., Hand Clin, 2004. 20(1): p. 123-6, viii.
 15. **Applying ultrasound imaging to interscalene brachial plexus block.** Chan, V.W., Reg Anesth Pain Med, 2003. 28(4): p. 340-3.
 16. **Arterial embolism from anatomical variation at the thoracic outlet.** Dogvan, P.S., et al., Clin Anat, 1995. 8(3): p. 222-6.
 17. **Arterial injuries in the thoracic outlet syndrome.** Durham, J.R., et al., J Vasc Surg, 1995. 21(1): p. 57-69; discussion 70.
 18. **The Arterial Lesion in Cases of "Cervical" Rib.** Todd, T.W., J Anat Physiol., 1913. 47 (Part 2): p. 250-253.
 19. **Arterial thoracic outlet syndrome.** Patton, G.M., Hand Clin, 2004. 20(1): p. 107-11, viii.
 20. **Bilateral non-traumatic second rib fracture after bilateral first rib resection for TOS.** Jakubietz, M.G., et al., Thorax, 2005. 60(3): p. 259-60.
 21. **Bile duct strictures after hepatobiliary surgery: assessment with MR cholangiography.** Ward, J., et al., Radiology, 2004. 231(1): p. 101-8.
 22. **Brachial neuritis caused by pressure of first rib.** Murphy, T., Aust Med J, 1910. 15: p. 582-587.
 23. **Brachial plexopathies: classification, causes, and consequences.** Ferrante, M.A., Muscle Nerve, 2004. 30(5): p. 547-68.
 24. **The brachial plexus.** Mukherji, S.K., Castillo, M., and Wagle, A.G., Semin Ultrasound CT MR, 1996. 17(6): p. 519-38.
 25. **Brachial plexus anatomy.** Leinberry, C.F. and Wehbe, M.A., Hand Clin, 2004. 20(1): p. 1-5.
 26. **Brachial plexus anesthesia: essentials of our current understanding.** Neal, J.M., et al., Reg Anesth Pain Med, 2002. 27(4): p. 402-28.
 27. **Brachial plexus injuries.** Sunderland, S., Clin Neurol Neurosurg, 1993. 95 Suppl: p. S1-2.
 28. **Brachial plexus injuries.** Tung, T.H. and Mackinnon, S.E., Clin Plast Surg, 2003. 30(2): p. 269-87.
 29. **Brachial plexus nerve block with CT guidance for regional pain**

- management: initial results.** Mukherji, S.K., et al., Radiology, 2000. 216(3): p. 886-90.
30. **Brachial plexus sonography: a technique for assessing the root level.** Martinoli, C., et al., AJR Am J Roentgenol, 2002. 179(3): p. 699-702.
 31. **Brachial plexus: correlation of MR imaging with CT and pathologic findings.** Rapoport, S., et al., Radiology, 1988. 167(1): p. 161-5.
 32. **The brachial plexus: normal anatomy, pathology, and MR imaging.** Bowen, B.C., et al., Neuroimaging Clin N Am, 2004. 14(1): p. 59-85, vii-viii.
 33. **Cadaveric observation of an aberrant left subclavian artery: a possible cause of thoracic outlet syndrome.** Konuskan, B., et al., Clin Anat, 2005. 18(3): p. 215-6.
 34. **Case of Cervical Rib with Symptoms Resembling Subclavian Aneurysm.** Murphy, J.B., Ann Surg, 1905. 41(1): p. 399-406.
 35. **A case of spreading obliterative arteritis.** Gould, A.P., Trans Clin Soc London, 1884.(17): p. 95.
 36. **Cervical burners in the athlete.** Shannon, B. and Klimkiewicz, J.J., Clin Sports Med, 2002. 21(1): p. 29-35, vi.
 37. **Cervical lung protrusions in children.** Currarino, G., Pediatr Radiol, 1998. 28(7): p. 533-8.
 38. **Cervical rib variant: report of a case.** Kosenak, L.M., et al., Ann Vasc Surg, 1992. 6(3): p. 292-3.
 39. **"Cervical Rib": Factors controlling its Presence and its Size. Its Bearing on the Morphology and Development of the Shoulder.** Todd, T.W., Anat Physiol, 1912. 46 (Part 3): p. 244-288.
 40. **Cervical Rib; A Method of Anterior Approach for Relief of Symptoms by Division of the Scalenus Anticus.** Adson, A.W. and Coffey, J.R., Annals of Surgery, 1927. 85: p. 839.
 41. **Chronic nerve compression--an experimental model in the rat.** Mackinnon, S.E., et al., Ann Plast Surg, 1984. 13(2): p. 112-20.
 42. **Clinical commentary: pathogenesis of cumulative trauma disorder.** Mackinnon, S.E. and Novak, C.B., J Hand Surg [Am], 1994. 19(5): p. 873-83.
 43. **Clinical evaluation and management of work-related carpal tunnel syndrome.** Herbert, R., Gerr, F., and Dropkin, J., Am J Ind Med, 2000. 37(1): p. 62-74.

44. **Clinical predictors of surgical outcome in patients with thoracic outlet syndrome operated on via transaxillary approach.** Yavuzer, S., Atinkaya, C., and Tokat, O., Eur J Cardiothorac Surg, 2004. 25(2): p. 173-8.
45. **Color Doppler and duplex sonography in 5 patients with thoracic outlet syndrome.** Wadhvani, R., et al., J Ultrasound Med, 2001. 20(7): p. 795-801.
46. **Combined surgical treatment of thoracic outlet syndrome: transaxillary first rib resection and transcervical scalenectomy.** Atasoy, E., Hand Clin, 2004. 20(1): p. 71-82, vii.
47. **A comparative study of structures comprising the thoracic outlet in 250 human cadavers and 72 surgical cases of thoracic outlet syndrome.** Redenbach, D.M. and Nelems, B., Eur J Cardiothorac Surg, 1998. 13(4): p. 353-60.
48. **Complications of surgery for thoracic outlet syndrome.** Leffert, R.D., Hand Clin, 2004. 20(1): p. 91-8.
49. **Compression of the lower trunk of the brachial plexus by a first dorsal rib. With a note on the surgical treatment.** Stopford, J.S.B. and Telford, E.D., Brit J Surg, 1919. 7(26).
50. **Compressive neuropathies of the upper extremity.** Spinner, R.J. and Amadio, P.C., Clin Plast Surg, 2003. 30(2): p. 155-73, vi.
51. **Compromising abnormalities of the brachial plexus as displayed by magnetic resonance imaging.** Collins, J.D., et al., Clin Anat, 1995. 8(1): p. 1-16.
52. **Congenital anomalies associated with thoracic outlet syndrome. Anatomy, symptoms, diagnosis, and treatment.** Roos, D.B., Am J Surg, 1976. 132(6): p. 771-8.
53. **Congenital Arterio-Venous and Lymphatico-Venous Fistulae. Unique Clinical and Experimental Observations.** Halsted, W.S., Proc Natl Acad Sci of USA, 1918. 5(3): p. 76-79.
54. **770 consecutive supraclavicular first rib resections for thoracic outlet syndrome.** Hempel, G.K., et al., Ann Vasc Surg, 1996. 10(5): p. 456-63.
55. **Conservative treatment for thoracic outlet syndrome.** Crosby, C.A. and Wehbe, M.A., Hand Clin, 2004. 20(1): p. 43-9, vi.
56. **The Conundrum of Thoracic Outlet Surgery.** Leffert, R.D., Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 262-270.
57. **Costoclavicular compression of the subclavian artery and vein. Relation to**

- the scalenus anticus syndrome.** Falconer, M.A. and Weddell, G., Lancet, 1943. 2: p. 539-543.
58. **Current trends in treatment of thoracic outlet syndrome.** Wehbe, M.A. and Leinberry, C.F., Hand Clin, 2004. 20(1): p. 119-21.
59. **Dermatomal and mixed nerve somatosensory evoked potentials in the diagnosis of neurogenic thoracic outlet syndrome.** Cakmur, R., et al., Electroencephalogr Clin Neurophysiol, 1998. 108(5): p. 423-34.
60. **Developmental anomalies at the thoracic outlet: an analysis of 200 consecutive cases.** Makhoul, R.G. and Machleder, H.I., J Vasc Surg, 1992. 16(4): p. 534-42; discussion 542-5.
61. **Diagnosing suprascapular neuropathy in patients with shoulder dysfunction: a report of 5 cases.** Walsworth, M.K., Mills, J.T., 3rd, and Michener, L.A., Phys Ther, 2004. 84(4): p. 359-72.
62. **Diagnosing thoracic outlet syndrome.** Brantigan, C.O. and Roos, D.B., Hand Clin, 2004. 20(1): p. 27-36.
63. **Diagnosing thoracic outlet syndrome: contribution of provocative tests, ultrasonography, electrophysiology, and helical computed tomography in 48 patients.** Gillard, J., et al., Joint Bone Spine, 2001. 68(5): p. 416-24.
64. **Diagnosis and management of arterial compression at the thoracic outlet.** Gelabert, H.A. and Machleder, H.I., Ann Vasc Surg, 1997. 11(4): p. 359-66.
65. **Diagnosis and management of thoracic outlet syndrome.** Stallworth, J.M. and Horne, J.B., Arch Surg, 1984. 119(10): p. 1149-51.
66. **Diagnosis and treatment of thoracic outlet syndrome.** Sheth, R.N. and Belzberg, A.J., Neurosurg Clin N Am, 2001. 12(2): p. 295-309.
67. **Diagnosis of thoracic outlet syndrome using electrophysiologically guided anterior scalene blocks.** Jordan, S.E. and Machleder, H.I., Ann Vasc Surg, 1998. 12(3): p. 260-4.
68. **Diagnosis of vascular compression at the thoracic outlet using gadolinium-enhanced high-resolution ultrafast MR angiography in abduction and adduction.** Hagspiel, K.D., et al., Cardiovasc Intervent Radiol, 2000. 23(2): p. 152-4.
69. **Diagnosis, treatment, and complications of thoracic outlet syndrome.** Abe, M., Ichinohe, K., and Nishida, J., J Orthop Sci, 1999. 4(1): p. 66-9.
70. **Dilation of the Great Arteries Distal to Partially Occluding Bands.** Halsted, W.S., Proc Natl Acad Sci of USA, 1918. 4(7): p. 204-210.

71. **The Distribution of Sympathetic Fibres in the Brachial Plexus in Man.** Sunderland, S., Brain, 1948. 71(1): p. 88-102.
72. **Documentation of brachial plexus compression (in the thoracic inlet) utilizing provocative neurosensory and muscular testing.** Howard, M., Lee, C., and Dellon, A.L., J Reconstr Microsurg, 2003. 19(5): p. 303-12.
73. **Doppler Adson's test: predictor of outcome of surgery in non-specific thoracic outlet syndrome.** Lee, A.D., Agarwal, S., and Sadhu, D., World J Surg, 2006. 30(3): p. 291-2.
74. **Edgar J. Poth Lecture. Thoracic outlet syndromes: update 1987.** Roos, D., Am J Surg, 1987. 154(6): p. 568-73.
75. **Effort thrombosis in the elite throwing athlete.** DiFelice, G.S., et al., Am J Sports Med, 2002. 30(5): p. 708-12.
76. **Effort thrombosis of the axillosubclavian vein: a disabling vascular disorder.** Machleder, H.I., Compr Ther, 1991. 17(5): p. 18-24.
77. **Electrodiagnostic approach to the patient with suspected brachial plexopathy.** Ferrante, M.A. and Wilbourn, A.J., Neurol Clin, 2002. 20(2): p. 423-50.
78. **Electromyography in Shoulder Disorders.** Khella, S., UPOJ, 2000. 13: p. 29-34.
79. **"EMG" for thoracic outlet syndrome.** Tolson, T.D., Hand Clin, 2004. 20(1): p. 37-42, vi.
80. **Enhancement of needle visibility in ultrasound-guided percutaneous procedures.** Cheung, S. and Rohling, R., Ultrasound Med Biol, 2004. 30(5): p. 617-24.
81. **The enigma of whiplash injury. Current management strategies and controversies.** Young, W.F., Postgrad Med, 2001. 109(3): p. 179-80, 183-6.
82. **Entrapment neuropathies of the upper extremity.** Dimeff, R.J., Curr Sports Med Rep, 2003. 2(5): p. 255-61.
83. **Epineurectomy for thoracic outlet syndrome.** Wehbe, M.A. and Whitaker, M.L., Hand Clin, 2004. 20(1): p. 83-6.
84. **Etiology and pathology.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 23-6.
85. **Etiology of neurogenic thoracic outlet syndrome.** Brantigan, C.O. and Roos, D.B., Hand Clin, 2004. 20(1): p. 17-22.

86. **Evaluation of MR angiographic technique in the assessment of thoracic outlet syndrome.** Charon, J.P., et al., Clin Radiol, 2004. 59(7): p. 588-95.
87. **Evaluation of the patient with thoracic outlet syndrome.** Mackinnon, S.E. and Novak, C.B., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 190-200.
88. **Evidence for conduction delay in thoracic-outlet syndrome is challenged.** Wilbourn, A.J. and Lederman, R.J., N Engl J Med, 1984. 310(16): p. 1052-3.
89. **Exostosis of the first rib with strong pulsations of the subclavian artery.** Mayo, H., Lon Med Phys Jnl, 1831.(11): p. 40.
90. **Exostosis of the left transverse process of the seventh cervical vertebra surrounded by blood vessels and nerves. Successful removal.** Coote, R.H., Lancet, 1861. 1: p. 360-361.
91. **Experience of supraclavicular exploration and decompression for treatment of thoracic outlet syndrome.** McCarthy, M.J., et al., Ann Vasc Surg, 1999. 13(3): p. 268-74.
92. **Experience with first rib resection for thoracic outlet syndrome.** Roos, D.B., Ann Surg, 1971. 173(3): p. 429-42.
93. **An Experimental Study Of Circumscribed Dilation Of An Artery Immediately Distal To A Partially Occluding Band, And Its Bearing On The Dilation Of The Subclavian Artery Observed In Certain Cases Of Cervical Rib.** Halsted, W.S., Jnl of Experimental Medicine, 1916. 24: p. 271-286.
94. **The false-positive rate of thoracic outlet syndrome shoulder maneuvers in healthy subjects.** Plewa, M.C. and Delinger, M., Acad Emerg Med, 1998. 5(4): p. 337-42.
95. **First Rib Resection in the Treatment of Thoracic Outlet Syndrome: Transaxillary and Posterior Thoracoplasty Approaches.** Roeder, D.K., et al., Annals of Surgery, 1972. 178(1): p. 49-52.
96. **Frequency of neurogenic thoracic outlet syndrome in patients with definite carpal tunnel syndrome: an electrophysiological evaluation in 100 women.** Seror, P., Clin Neurophysiol, 2005. 116(2): p. 259-63.
97. **Functional anatomy of the thoracic outlet: evaluation with spiral CT.** Remy-Jardin, M., et al., Radiology, 1997. 205(3): p. 843-51.
98. **Functional imaging of the thoracic outlet syndrome in an open MR scanner.** Smedby, O., et al., Eur Radiol, 2000. 10(4): p. 597-600.
99. **Gilliat-Sumner hand revisited: a 25-year experience.** Tender, G.C., et al., Neurosurgery, 2004. 55(4): p. 883-90; discussion 890.

100. **Helical computed tomography of the normal thoracic outlet.** Matsumura, J.S., et al., J Vasc Surg, 1997. 26(5): p. 776-83.
101. **Helical CT angiography of thoracic outlet syndrome.** Matsumura, J.S., Yao, J.S., and Nemcek, A.A., Jr., AJR Am J Roentgenol, 2001. 177(3): p. 714-5.
102. **Helical CT angiography of thoracic outlet syndrome: functional anatomy.** Remy-Jardin, M., et al., AJR Am J Roentgenol, 2000. 174(6): p. 1667-74.
103. **Hemiplegia and contralateral upper limb claudication--a case of dual disability from pseudoaneurysm of the brachiocephalic artery: a brief report.** Harvey, R.L., Am J Phys Med Rehabil, 1999. 78(1): p. 56-9.
104. **Heparin Alleviates Pain in Nerve Entrapments.** Ellis, W., American Journal of Pain Management, 2003. 13(2): p. 54-59.
105. **History of thoracic outlet syndrome.** Atasoy, E., Hand Clin, 2004. 20(1): p. 15-6, v.
106. **The Hyperabduction Syndrome: With Special Reference to Its Relationship to Raynaud's Syndrome.** Beyer, J.A. and Wright, I.S., Circulation, 1951. 4: p. 161-172.
107. **Hypertrophic non-union of the first rib causing thoracic outlet syndrome: a case report.** Suh, J.T., Park, B.G., and Yoo, C.I., J Korean Med Sci, 2001. 16(5): p. 673-6.
108. **Imaging assessment of thoracic outlet syndrome.** Demondion, X., et al., Radiographics, 2006. 26(6): p. 1735-50.
109. **Imaging of the peripheral nervous system: evaluation of peripheral neuropathy and plexopathy.** Maravilla, K.R. and Bowen, B.C., AJNR Am J Neuroradiol, 1998. 19(6): p. 1011-23.
110. **Imaging the brachial plexus.** Amrami, K.K. and Port, J.D., Hand Clin, 2005. 21(1): p. 25-37.
111. **Infraclavicular brachial plexus stretch injury.** Kim, D.H., et al., Neurosurg Focus, 2004. 16(5): p. E4.
112. **Infraspinatus muscle atrophy in professional baseball players.** Cummins, C.A., Messer, T.M., and Schafer, M.F., Am J Sports Med, 2004. 32(1): p. 116-20.
113. **Intermittent subclavian vein obstruction without thrombosis.** Adams, J.T., et al., Surgery, 1968. 63: p. 147-165.
114. **Intraoperative thermographic monitoring during neurogenic thoracic outlet decompressive surgery.** Ellis, W. and Cheng, S., Vasc Endovascular Surg,

2003. 37(4): p. 253-7.
115. **Is rib resection necessary for relief of thoracic outlet syndrome?** Stallworth, J.M., Quinn, G.J., and Aiken, A.F., Ann Surg, 1977. 185(5): p. 581-92.
 116. **Lesion of first dorsal nerve root.** Bramwell, F., Rev Neurol Psych, 1903. 1: p. 263.
 117. **Lesions and nodes of the thoracic inlet.** Dalley, R.W., Semin Ultrasound CT MR, 1996. 17(6): p. 576-604.
 118. **Long-term follow-up and patient satisfaction after surgery for thoracic outlet syndrome.** Sharp, W.J., et al., Ann Vasc Surg, 2001. 15(1): p. 32-6.
 119. **Long-term functional outcome of neurogenic thoracic outlet syndrome in surgically and conservatively treated patients.** Landry, G.J., et al., J Vasc Surg, 2001. 33(2): p. 312-7; discussion 317-9.
 120. **Long-term results of surgical decompression of thoracic outlet compression syndrome.** Maxwell-Armstrong, C.A., et al., J R Coll Surg Edinb, 2001. 46(1): p. 35-8.
 121. **Magnetic resonance neurography.** Howe, F.A., et al., Magn Reson Med, 1992. 28(2): p. 328-38.
 122. **Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome.** Sanders, R.J. and Hammond, S.L., J Vasc Surg, 2002. 36(1): p. 51-6.
 123. **Management of thoracic outlet syndrome.** Dale, W.A. and Lewis, M.R., Ann Surg, 1975. 181(5): p. 575-85.
 124. **Measuring longitudinal nerve motion using ultrasonography.** Hough, A.D., Moore, A.P., and Jones, M.P., Man Ther, 2000. 5(3): p. 173-80.
 125. **Medial antebrachial cutaneous nerve conduction study, a new tool to demonstrate mild lower brachial plexus lesions. A report of 16 cases.** Seror, P., Clin Neurophysiol, 2004. 115(10): p. 2316-22.
 126. **The middle scalene muscle and its contribution to the thoracic outlet syndrome.** Thomas, G.I., et al., Am J Surg, 1983. 145(5): p. 589-92.
 127. **Migraine complicated by brachial plexopathy as displayed by MRI and MRA: aberrant subclavian artery and cervical ribs.** Saxton, E.H., Miller, T.Q., and Collins, J.D., J Natl Med Assoc, 1999. 91(6): p. 333-41.
 128. **MR imaging of nontraumatic brachial plexopathies: frequency and spectrum of findings.** Wittenberg, K.H. and Adkins, M.C., Radiographics, 2000.

- 20(4): p. 1023-32.
129. **MR imaging of the brachial plexus.** Posniak, H.V., et al., AJR Am J Roentgenol, 1993. 161(2): p. 373-9.
 130. **MR imaging of the brachial plexus.** Reede, D.L., Magn Reson Imaging Clin N Am, 1997. 5(4): p. 897-906.
 131. **MR imaging of the treated brachial plexus.** Iyer, R.B., Fenstermacher, M.J., and Libshitz, H.I., AJR Am J Roentgenol, 1996. 167(1): p. 225-9.
 132. **MR neurography and muscle MR imaging for image diagnosis of disorders affecting the peripheral nerves and musculature.** Filler, A.G., Maravilla, K.R., and Tsuruda, J.S., Neurol Clin, 2004. 22(3): p. 643-82, vi-vii.
 133. **MRI of the brachial plexus.** van Es, H.W., Eur Radiol, 2001. 11(2): p. 325-36.
 134. **Multilevel nerve compression and muscle imbalance in work-related neuromuscular disorders.** Novak, C.B. and Mackinnon, S.E., Am J Ind Med, 2002. 41(5): p. 343-52.
 135. **The muscular arch of the axilla revisited: its possible role in the thoracic outlet and shoulder instability syndromes.** Clarys, J.P., et al., Man Ther, 1996. 1(3): p. 133-139.
 136. **Navigating the thoracic inlet.** Chiles, C., Davis, K.W., and Williams, D.W., 3rd, Radiographics, 1999. 19(5): p. 1161-76.
 137. **Nerve action potential recording method and equipment.** Tiel, R.L., Happel, L.T., Jr., and Kline, D.G., Neurosurgery, 1996. 39(1): p. 103-8; discussion 108-9.
 138. **Nerve entrapments of the wrist: early treatment preserves function.** Wellik, G.M., Jaapa, 2005. 18(4): p. 18-23; quiz 31-2.
 139. **Nerve gliding exercises for thoracic outlet syndrome.** Wehbe, M.A. and Schlegel, J.M., Hand Clin, 2004. 20(1): p. 51-5, vi.
 140. **Nerve injuries of the elbow, wrist, and hand in athletes.** Izzi, J., et al., Clin Sports Med, 2001. 20(1): p. 203-17.
 141. **Nerve injury about the shoulder in athletes, part 2: long thoracic nerve, spinal accessory nerve, burners/stingers, thoracic outlet syndrome.** Safran, M.R., Am J Sports Med, 2004. 32(4): p. 1063-76.
 142. **Nerve Injury About the Shoulder in Athletes, Part 2.** Safran, M., American Journal of Sports Medicine, 2004. 32(4): p. 1063-1076.

143. **Nerves in a pinch: imaging of nerve compression syndromes.** Hochman, M.G. and Zilberfarb, J.L., Radiol Clin North Am, 2004. 42(1): p. 221-45.
144. **Nerves of the thorax: atlas of normal and pathologic findings.** Aquino, S.L., Duncan, G.R., and Hayman, L.A., Radiographics, 2001. 21(5): p. 1275-81.
145. **Nerves on magnetic resonance imaging.** Collins, J.D., et al., J Natl Med Assoc, 1989. 81(2): p. 129-34.
146. **Neuritis of Brachial Plexus Mechanical in Origin: Scalenus Syndrome.** Naffziger, H.C. and Grant, W.T., Surg Gynecol and Obstet, 1938. 67: p. 722.
147. **Neurogenic thoracic outlet decompression: rationale for sparing the first rib.** Cheng, S.W., et al., Cardiovasc Surg, 1995. 3(6): p. 617-23; discussion: 624.
148. **Neurogenic thoracic outlet syndrome in whiplash injury.** Kai, Y., et al., J Spinal Disord, 2001. 14(6): p. 487-93.
149. **Neurovascular compression in the thoracic outlet: changing management over 50 years.** Urschel, H.C., Jr. and Razzuk, M.A., Ann Surg, 1998. 228(4): p. 609-17.
150. **The neurovascular syndrome produced by hyperabduction of the arms: the immediate changes produced in 15 normal controls, and the effects on some persons of prolonged hyperabduction of the arms, as in sleeping, and certain occupations.** Wright, I.S., Am Heart J, 1945. 29: p. 1.
151. **Non-invasive investigation of vascular compression in patients with thoracic outlet syndrome.** Sallstrom, J. and Thulesius, O., Clin Physiol, 1982. 2(2): p. 117-25.
152. **Noninvasive vascular laboratory for evaluation of peripheral arterial occlusive disease. Part III--Clinical applications: nonatherosclerotic lower extremity arterial conditions and upper extremity arterial disease.** Rose, S.C., J Vasc Interv Radiol, 2001. 12(1): p. 11-8.
153. **Normal brachial plexus: MR imaging.** Blair, D.N., et al., Radiology, 1987. 165(3): p. 763-7.
154. **Outcome after thrombolysis and selective thoracic outlet decompression for primary axillary vein thrombosis.** Lokanathan, R., et al., J Vasc Surg, 2001. 33(4): p. 783-8.
155. **Outcome following surgery for thoracic outlet syndrome.** Bhattacharya, V., et al., Eur J Vasc Endovasc Surg, 2003. 26(2): p. 170-5.
156. **Outcomes after surgery for thoracic outlet syndrome.** Axelrod, D.A., et al., J Vasc Surg, 2001. 33(6): p. 1220-5.

157. **Outcomes of surgery in 1019 brachial plexus lesions treated at Louisiana State University Health Sciences Center.** Kim, D.H., et al., J Neurosurg, 2003. 98(5): p. 1005-16.
158. **Paget-Schroetter Syndrome.** Khan SN, S.G., Phlebography, 2003. 18(1): p. 2-11.
159. **Pain control using high-intensity pulsed magnetic stimulation.** Ellis, W.V., Bioelectromagnetics, 1993. 14(6): p. 553-6.
160. **Pathoanatomy and pathophysiology of nerve root compression.** Rydevik, B., Brown, M.D., and Lundborg, G., Spine, 1984. 9(1): p. 7-15.
161. **Peripheral arterial disease: gadolinium-enhanced MR angiography versus color-guided duplex US--a meta-analysis.** Visser, K. and Hunink, M.G., Radiology, 2000. 216(1): p. 67-77.
162. **Peripheral nerve conduction in patients with a cervical rib and band.** Gilliatt, R.W., et al., Ann Neurol, 1978. 4(2): p. 124-9.
163. **Peripheral Nerve Injuries in Weight Training.** Lodhia KR, B.B., McGillicuddy J, The Physician and Sportsmedicine, 2005. 33(7).
164. **The place for scalenectomy and first-rib resection in thoracic outlet syndrome.** Roos, D.B., Surgery, 1982. 92(6): p. 1077-85.
165. **Posttraumatic thoracic outlet syndrome.** Mulder, D.S., Greenwood, F.A., and Brooks, C.E., J Trauma, 1973. 13(8): p. 706-15.
166. **Pressure at the Cervico-Brachial Junction: An Operative and Anatomical Study.** Telford, E.D. and Mottershead, S., Jnl of Bone and Jt Surg, 1948. 30B(249-265).
167. **Pressure of the axillary vessels and nerve by exostosis from a cervical rib. Interference with the circulation of the arm. Removal of the rib and exostosis. Recovery.** Coote, R.H., Medical Times and Gazette, 1861.(2): p. 108.
168. **Primary brachial plexus tumors: imaging, surgical, and pathological findings in 25 patients.** Binder, D.K., Smith, J.S., and Barbaro, N.M., Neurosurg Focus, 2004. 16(5): p. E11.
169. **A prospective comparison study of MRI versus small bowel follow-through in recurrent Crohn's disease.** Bernstein, C.N., et al., Am J Gastroenterol, 2005. 100(11): p. 2493-502.
170. **Provocative F Waves May Help in the Diagnosis of Thoracic Outlet Syndrome.** Cuevas-Trisan, R.L. and Cruz-Jimenez, M., American Journal of

Physical Medicine and Rehabilitation, 2003. 82(9): p. 712-715.

171. **Proximal compressions of the upper limb neurovascular bundle. An anatomic research study.** Poitevin, L.A., Hand Clin, 1988. 4(4): p. 575-84.
172. **Proximal neuropathies of the upper extremity.** Goslin, K.L. and Krivickas, L.S., Neurol Clin, 1999. 17(3): p. 525-48, vii.
173. **Quantification of the weakness and fatigue in thoracic outlet syndrome with isokinetic measurements.** Ozcakar, L., et al., Br J Sports Med, 2005. 39(3): p. 178-81.
174. **Quantitative vascular measurements in arterial occlusive disease.** Ota, H., et al., Radiographics, 2005. 25(5): p. 1141-58.
175. **Recurrent neurogenic thoracic outlet syndrome.** Ambrad-Chalela, E., Thomas, G.I., and Johansen, K.H., Am J Surg, 2004. 187(4): p. 505-10.
176. **Recurrent thoracic outlet syndrome.** Atasoy, E., Hand Clin, 2004. 20(1): p. 99-105.
177. **Regarding "Arterial injuries in the thoracic outlet syndrome".** Lord, J.W., Jr., J Vasc Surg, 1995. 22(1): p. 124-5.
178. **The Relations of the Thoracic Operculum considered in reference to the Anatomy of Cervical Ribs of Surgical Importance.** Todd, T.W., J Anat Physiol., 1911. 45(Part 3): p. 293-304.
179. **Relative ultrasonographic echogenicity of standard, dimpled, and polymeric-coated needles.** Culp, W.C., et al., J Vasc Interv Radiol, 2000. 11(3): p. 351-8.
180. **Resection of the first rib in costoclavicular compression of the brachial plexus.** Falconer, M.A. and Li, F.W., Lancet, 1962. 1: p. 59-63.
181. **Results of the surgical treatment for thoracic outlet syndrome.** Sanders, R.J., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 221-8.
182. **A review of compressive ulnar neuropathy at the elbow.** Robertson, C. and Saratsiotis, J., J Manipulative Physiol Ther, 2005. 28(5): p. 345.
183. **Role of CT venography in the diagnosis and treatment of benign thoracic central venous obstruction.** Kim, H., et al., Korean J Radiol, 2003. 4(3): p. 146-52.
184. **The role of vascular damage and fibrosis in the pathogenesis of nerve root damage.** Jayson, M.I., Clin Orthop Relat Res, 1992.(279): p. 40-8.

185. **Scalene muscle abnormalities in traumatic thoracic outlet syndrome.** Sanders, R.J., et al., Am J Surg, 1990. 159(2): p. 231-6.
186. **Scalene muscles and the brachial plexus: anatomical variations and their clinical significance.** Harry, W.G., Bennett, J.D., and Guha, S.C., Clin Anat, 1997. 10(4): p. 250-2.
187. **The Scalenus Anticus Syndrome with and without Cervical Rib.** Donald, J.M. and Morton, B.F., Annals of Surgery, 1939. 111(5): p. 709-723.
188. **Scalenus Anticus Syndrome; Types; Their Characterization, Diagnosis and Treatment.** Swank, R.L. and Simeone, F.A., Arch Neurol and Psych, 1944. 51: p. 432.
189. **The scalenus syndrome.** Naffziger, H.C., Surgery, Gynecology and Obstetrics, 1937. 64: p. 19-20.
190. **Sectional neuroanatomy of the upper limb I: brachial plexus.** Taber, K.H., et al., J Comput Assist Tomogr, 2000. 24(6): p. 983-6.
191. **Sectional neuroanatomy of the upper thoracic spine and chest.** Taber, K.H., et al., J Comput Assist Tomogr, 2005. 29(2): p. 281-5.
192. **Selective botulinum chemodenervation of the scalene muscles for treatment of neurogenic thoracic outlet syndrome.** Jordan, S.E., et al., Ann Vasc Surg, 2000. 14(4): p. 365-9.
193. **Shoulder-arm pain from cervical bands and scalene muscle anomalies.** Liu, J.E., et al., J Neurol Sci, 1995. 128(2): p. 175-80.
194. **SIR 2003 film panel case 7: arterial thoracic outlet syndrome presenting with upper extremity emboli and posterior circulation stroke.** Matsen, S.L., et al., J Vasc Interv Radiol, 2003. 14(6): p. 807-12.
195. **Sonographers and Occupational Overuse Syndrome: Cause, Effect, and Solutions.** Jakes, C., Journal of Diagnostic Medical Sonography, 2001. 17(6): p. 312-320.
196. **Sonographic evaluation of brachial plexus pathology.** Graif, M., et al., Eur Radiol, 2004. 14(2): p. 193-200.
197. **Sonographic mapping of the normal brachial plexus.** Demondion, X., et al., AJNR Am J Neuroradiol, 2003. 24(7): p. 1303-9.
198. **Subclavian artery aneurysm secondary to a cervical supernumerary rib in a child.** Vaksman, G., Noblet, D., and Dupuis, C., Eur J Pediatr, 1987. 146(2): p. 209-10.

199. **Subclavian artery aneurysms.** Davidovic, L.B., et al., Asian J Surg, 2003. 26(1): p. 7-11; discussion 12.
200. **Subclavian MR arteriography: reduction of susceptibility artifact with short echo time and dilute gadopentetate dimeglumine.** Neimatallah, M.A., et al., Radiology, 2000. 217(2): p. 581-6.
201. **The subclavius posticus muscle: a factor in arterial, venous or brachial plexus compression?** Akita, K., et al., Surg Radiol Anat, 2000. 22(2): p. 111-5.
202. **Subclavius posticus muscle: supernumerary muscle as a potential cause for thoracic outlet syndrome.** Forcada, P., et al., Clin Anat, 2001. 14(1): p. 55-7.
203. **Supraclavicular first rib resection and total scalenectomy: technique and results.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 61-70.
204. **Supraclavicular reoperation for neurogenic thoracic outlet syndrome.** Cheng, S.W. and Stoney, R.J., J Vasc Surg, 1994. 19(4): p. 565-72.
205. **Surgery for thoracic outlet syndrome may be hazardous to your health.** Cherington, M., et al., Muscle Nerve, 1986. 9(7): p. 632-4.
206. **Surgical approach to anterior scalenectomy.** Mattson, R.J., Hand Clin, 2004. 20(1): p. 57-60.
207. **The surgical importance of cervical ribs to the general practitioner.** Roberts, J.B., JAMA, 1908. 51: p. 1126-1130.
208. **Surgical management of shoulder girdle syndromes; new operative procedure for hyperabduction, costoclavicular, cervical rib, and scalenus anticus syndromes.** Lord, J.W., Jr., AMA Arch Surg, 1953. 66(1): p. 69-83.
209. **Surgical management of thoracic outlet syndrome: a 10-year experience.** Samarasam, I., et al., ANZ J Surg, 2004. 74(6): p. 450-4.
210. **Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations.** Sheth, R.N. and Campbell, J.N., J Neurosurg Spine, 2005. 3(5): p. 355-63.
211. **Surgical treatment of thoracic outlet syndrome: effect and results of surgery.** Balci, A.E., et al., Ann Thorac Surg, 2003. 75(4): p. 1091-6; discussion 1096.
212. **The symptomatology, diagnosis and surgical treatment of cervical ribs.** Keen, W.W., Am J Med Sci, 1907.(133): p. 173-218.
213. **Therapy after thoracic outlet release.** Wishchuk, J.R. and Dougherty, C.R.,

Hand Clin, 2004. 20(1): p. 87-90, vii.

214. **Thoracic and Vascular Aspects of Thoracic Outlet Syndrome.** Riddell, D.H. and Smith, B.M., Clinical Orthopaedics and Related Research, 1986.(Number 207): p. 31-36.
215. **The thoracic inlet: normal anatomy.** Reede, D.L., Semin Ultrasound CT MR, 1996. 17(6): p. 509-18.
216. **Thoracic outlet compression syndrome.** Atasoy, E., Orthop Clin North Am, 1996. 27(2): p. 265-303.
217. **Thoracic Outlet Compression Syndrome.** Kremer, R.M. and Ahlquist, R.E., American Journal of Surgery, 1975. 175: p. 612-615.
218. **Thoracic outlet syndrome.** Huang, J.H. and Zager, E.L., Neurosurgery, 2004. 55(4): p. 897-902; discussion 902-3.
219. **Thoracic Outlet Syndrome.** Kline, D.G. and Hudson, A.R., in *Nerve injuries: Operative Results from Major Nerve Injuries, Entrapments, and Tumors*. 1995, W.B. Saunders Company: Philadelphia. p. 473-493.
220. **Thoracic outlet syndrome.** Mackinnon, S.E. and Novak, C.B., Curr Probl Surg, 2002. 39(11): p. 1070-145.
221. **Thoracic outlet syndrome.** Rayan, G.M., J Shoulder Elbow Surg, 1998. 7(4): p. 440-51.
222. **Thoracic outlet syndrome.** Sellke, F.W. and Kelly, T.R., Am J Surg, 1988. 156(1): p. 54-7.
223. **Thoracic outlet syndrome.** Thomas, G.I., Neurology, 1993. 43(6): p. 1270-1.
224. **Thoracic outlet syndrome and the shoulder.** Leffert, R.D., Clin Sports Med, 1983. 2(2): p. 439-52.
225. **Thoracic outlet syndrome in whiplash injury.** Capistrant, T.D., Ann Surg, 1977. 185(2): p. 175-8.
226. **Thoracic outlet syndrome is overdiagnosed.** Wilbourn, A.J., Muscle Nerve, 1999. 22(1): p. 130-6; discussion 136-7.
227. **Thoracic outlet syndrome is underdiagnosed.** Roos, D.B., Muscle Nerve, 1999. 22(1): p. 126-9; discussion 137-8.
228. **Thoracic outlet syndrome surgery causing severe brachial plexopathy.** Wilbourn, A.J., Muscle Nerve, 1988. 11(1): p. 66-74.
229. **Thoracic outlet syndrome surgery: long-term functional results.** Degeorges,

- R., Reynaud, C., and Becquemin, J.P., Ann Vasc Surg, 2004. 18(5): p. 558-65.
230. **Thoracic outlet syndrome. Neurosurgical perspective.** Campbell, J.N., Naff, N.J., and Dellon, A.L., Neurosurg Clin N Am, 1991. 2(1): p. 227-33.
231. **Thoracic outlet syndrome. Results of 282 transaxillary first rib resections.** Leffert, R.D. and Perlmutter, G.S., Clin Orthop Relat Res, 1999.(368): p. 66-79.
232. **Thoracic Outlet Syndrome: A Common Sequella of Neck Injuries.** Sanders, R.J. and Haug, C.E. 1991: JB Lippincott Co.
233. **Thoracic outlet syndrome: a current overview.** Mackinnon, S.E., Patterson, G.A., and Novak, C.B., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 176-82.
234. **Thoracic outlet syndrome: anatomy.** Atasoy, E., Hand Clin, 2004. 20(1): p. 7-14, v.
235. **The thoracic outlet syndrome: controversies, overdiagnosis, overtreatment, and recommendations for management.** Cuetter, A.C. and Bartoszek, D.M., Muscle Nerve, 1989. 12(5): p. 410-9.
236. **Thoracic outlet syndrome: does fiction outweigh facts?** Naidu, S.H. and Kothari, M.J., Current Opinions in Orthopedics, 2003. 14: p. 209-214.
237. **Thoracic outlet syndrome: evaluation of the subclavian vessels by color duplex sonography.** Longley, D.G., et al., AJR Am J Roentgenol, 1992. 158(3): p. 623-30.
238. **Thoracic outlet syndrome: evaluation with CT.** Bilbey, J.H., et al., Radiology, 1989. 171(2): p. 381-4.
239. **Thoracic Outlet Syndrome: Follow-up on 33 Cases with Regard to Vascular Compression.** Lutz, B.S., Matejic, B., and Ingianni, G., Int J Angiol, 1998. 7(3): p. 202-5.
240. **Thoracic outlet syndrome: pattern of clinical success after operative decompression.** Altobelli, G.G., et al., J Vasc Surg, 2005. 42(1): p. 122-8.
241. **Thoracic outlet syndrome: provocative examination maneuvers in a typical population.** Rayan, G.M. and Jensen, C., J Shoulder Elbow Surg, 1995. 4(2): p. 113-7.
242. **Thoracic outlet syndrome: reimbursement patterns and patient profiles.** Cherington, M. and Cherington, C., Neurology, 1992. 42(5): p. 943-5.
243. **Thoracic outlet syndrome--a functional disturbance of the thoracic upper aperture?** Lindgren, K.A., Manninen, H., and Rytkonen, H., Muscle Nerve, 1995. 18(5): p. 526-30.

244. **Thoracic outlet syndrome--a myofascial variant: Part 1. Pathology and diagnosis.** Sucher, B.M., J Am Osteopath Assoc, 1990. 90(8): p. 686-96, 703-4.
245. **Thoracic outlet syndrome--a myofascial variant: Part 2. Treatment.** Sucher, B.M., J Am Osteopath Assoc, 1990. 90(9): p. 810-2, 817-23.
246. **Thoracic outlet syndrome--a myofascial variant: Part 3. Structural and postural considerations.** Sucher, B.M. and Heath, D.M., J Am Osteopath Assoc, 1993. 93(3): p. 334, 340-5.
247. **Thoracic outlet syndromes.** Leffert, R.D., Hand Clin, 1992. 8(2): p. 285-97.
248. **Thoracic outlet syndromes.** Wilbourn, A.J., Neurol Clin, 1999. 17(3): p. 477-97, vi.
249. **Thoracic outlet syndromes and magnetic resonance imaging.** Panegyres, P.K., et al., Brain, 1993. 116 (Pt 4): p. 823-41.
250. **Thoracic outlet syndromes and MRI.** Cherington, M., et al., Brain, 1995. 118 (Pt 3): p. 819-21.
251. **Thoracic outlet syndromes: new concepts from a century of discovery.** Machleder, H.I., Cardiovasc Surg, 1994. 2(2): p. 137-45.
252. **Thoracic outlet: an anatomical redefinition that makes clinical sense.** Ranney, D., Clin Anat, 1996. 9(1): p. 50-2.
253. **Thoracic outlet: anatomic correlation with MR imaging.** Demondion, X., et al., AJR Am J Roentgenol, 2000. 175(2): p. 417-22.
254. **Thoracic outlet: assessment with MR imaging in asymptomatic and symptomatic populations.** Demondion, X., et al., Radiology, 2003. 227(2): p. 461-8.
255. **Thoracic-outlet syndrome: evaluation of a therapeutic exercise program.** Peet, R.M., et al., Mayo Clin Proc, 1956. 31(9): p. 281-7.
256. **Three-dimensional MR angiography in the evaluation of thoracic outlet syndrome.** Dymarkowski, S., et al., AJR Am J Roentgenol, 1999. 173(4): p. 1005-8.
257. **Transaxillary approach in thoracic outlet syndrome: the importance of resection of the first-rib.** Han, S., et al., Eur J Cardiothorac Surg, 2003. 24(3): p. 428-33.
258. **[True neurological thoracic outlet syndrome].** Le Forestier, N., et al., Rev Neurol (Paris), 2000. 156(1): p. 34-40.

259. **Ultrasonographic Assessment of Arterial Cross-sectional Area in the Thoracic Outlet on Postural Maneuvers Measured With Power Doppler Ultrasonography in Both Asymptomatic and Symptomatic Populations.** Demondion, X., et al., J Ultrasound Med, 2006. 25(2): p. 217-24.
260. **Ultrasound guidance for infraclavicular brachial plexus anaesthesia in children.** Marhofer, P., et al., Anaesthesia, 2004. 59(7): p. 642-6.
261. **Ultrasound guidance in regional anaesthesia.** Marhofer, P., Greher, M., and Kapral, S., Br J Anaesth, 2005. 94(1): p. 7-17.
262. **Ultrasound guidance speeds execution and improves the quality of supraclavicular block.** Williams, S.R., et al., Anesth Analg, 2003. 97(5): p. 1518-23.
263. **Ultrasound in the practice of brachial plexus anesthesia.** De Andres, J. and Sala-Blanch, X., Reg Anesth Pain Med, 2002. 27(1): p. 77-89.
264. **Ultrasound visibility of needles used for regional nerve block: an in vitro study.** Schafhalter-Zoppoth, I., McCulloch, C.E., and Gray, A.T., Reg Anesth Pain Med, 2004. 29(5): p. 480-8.
265. **Ultrasound-guided infraclavicular brachial plexus block.** Sandhu, N.S. and Capan, L.M., Br J Anaesth, 2002. 89(2): p. 254-9.
266. **Ultrasound-guided infraclavicular brachial plexus block: an alternative technique to anatomical landmark-guided approaches.** Ootaki, C., Hayashi, H., and Amano, M., Reg Anesth Pain Med, 2000. 25(6): p. 600-4.
267. **Ultrasound-guided interscalene brachial plexus block.** Perlas, A. and Chan, V.W.S., Techniques in Regional Anesthesia and Pain Management, 2004. 8(4): p. 143-148.
268. **Ultrasound-guided musculocutaneous nerve block: a description of a novel technique.** Spence, B.C., Sites, B.D., and Beach, M.L., Reg Anesth Pain Med, 2005. 30(2): p. 198-201.
269. **Ultrasound-guided nerve blocks.** Peterson, M.K., Millar, F.A., and Sheppard, D.G., Br J Anaesth, 2002. 88(5): p. 621-4.
270. **Ultrasound-guided supraclavicular brachial plexus block.** Chan, V.W., et al., Anesth Analg, 2003. 97(5): p. 1514-7.
271. **Upper plexus thoracic outlet syndrome: optimal therapy.** Urschel, H.C., Jr. and Razzuk, M.A., Ann Thorac Surg, 1997. 63(4): p. 935-9.
272. **Upper plexus thoracic outlet syndrome--case report.** Matsuyama, T., Okuchi, K., and Goda, K., Neurol Med Chir (Tokyo), 2002. 42(5): p. 237-41.

273. **Variations of the course of the upper trunk of the brachial plexus and their clinical significance for the thoracic outlet syndrome: a study on 93 cadavers.** Natsis, K., et al., Am Surg, 2006. 72(2): p. 188-92.
274. **The Vascular Complications of the Cervical Rib.** Telford, E.D. and Stopford, J.S.B., Br J Surg, 1931. 18(59): p. 557.
275. **Vascular thoracic outlet syndrome.** Davidovic, L.B., et al., World J Surg, 2003. 27(5): p. 545-50.
276. **Venous thoracic outlet syndrome.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 113-8, viii.
277. **Venous thoracic outlet syndrome secondary to congenital pseudoarthrosis of the clavicle. Presentation in the fourth decade of life.** Lozano, P., et al., Eur J Vasc Endovasc Surg, 2003. 25(6): p. 592-3.
278. **Wasting of the hand associated with a cervical rib or band.** Gilliatt, R.W., et al., J Neurol Neurosurg Psychiatry, 1970. 33(5): p. 615-24.