

Thoracic Outlet Syndrome White Paper References (Listed by title)

1. **AAEM case report 33: costoclavicular mass syndrome.** **American Association of Electrodiagnostic Medicine.** England, J.D. and Tiel, R.L., Muscle Nerve, 1999. 22(3): p. 412-8.
2. **Adult Brachial Plexus and Thoracic Outlet Surgery.** Merrell, G.A. and Wolfe, S., Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 271-281.
3. **Anatomical variations of the scalene triangle: dissection of 10 cadavers.** Rusnak-Smith, S., Moffat, M., and Rosen, E., J Orthop Sports Phys Ther, 2001. 31(2): p. 70-80.
4. **The anatomy of the brachial plexus as displayed by magnetic resonance imaging: technique and application.** Collins, J.D., Disher, A.C., and Miller, T.Q., J Natl Med Assoc, 1995. 87(7): p. 489-98.
5. **Anomalies at the thoracic outlet are frequent in the general population.** Juvonen, T., et al., Am J Surg, 1995. 170(1): p. 33-7.
6. **The anterior scalene muscle in thoracic outlet compression syndrome. Histochemical and morphometric studies.** Machleder, H.I., Moll, F., and Verity, M.A., Arch Surg, 1986. 121(10): p. 1141-4.
7. **Appendix: use of multidetector CT and three-dimensional reconstructions in thoracic outlet syndrome: a preliminary report.** Brantigan, C.O., Johnston, R.J., and Roos, D.B., Hand Clin, 2004. 20(1): p. 123-6, viii.
8. **Arterial embolism from anatomical variation at the thoracic outlet.** Dovgan, P.S., et al., Clin Anat, 1995. 8(3): p. 222-6.
9. **Arterial injuries in the thoracic outlet syndrome.** Durham, J.R., et al., J Vasc Surg, 1995. 21(1): p. 57-69; discussion 70.
10. **Brachial plexopathies: classification, causes, and consequences.** Ferrante, M.A., Muscle Nerve, 2004. 30(5): p. 547-68.
11. **The brachial plexus.** Mukherji, S.K., Castillo, M., and Wagle, A.G., Semin Ultrasound CT MR, 1996. 17(6): p. 519-38.
12. **Brachial plexus anatomy.** Leinberry, C.F. and Wehbe, M.A., Hand Clin, 2004. 20(1): p. 1-5.
13. **Brachial plexus anesthesia: essentials of our current understanding.** Neal, J.M., et al., Reg Anesth Pain Med, 2002. 27(4): p. 402-28.

14. **The brachial plexus: normal anatomy, pathology, and MR imaging.** Bowen, B.C., et al., Neuroimaging Clin N Am, 2004. 14(1): p. 59-85, vii-viii.
15. **Cervical burners in the athlete.** Shannon, B. and Klimkiewicz, J.J., Clin Sports Med, 2002. 21(1): p. 29-35, vi.
16. **Clinical commentary: pathogenesis of cumulative trauma disorder.** Mackinnon, S.E. and Novak, C.B., J Hand Surg [Am], 1994. 19(5): p. 873-83.
17. **Clinical predictors of surgical outcome in patients with thoracic outlet syndrome operated on via transaxillary approach.** Yavuzer, S., Atinkaya, C., and Tokat, O., Eur J Cardiothorac Surg, 2004. 25(2): p. 173-8.
18. **Color Doppler and duplex sonography in 5 patients with thoracic outlet syndrome.** Wadhvani, R., et al., J Ultrasound Med, 2001. 20(7): p. 795-801.
19. **Combined surgical treatment of thoracic outlet syndrome: transaxillary first rib resection and transcervical scalenectomy.** Atasoy, E., Hand Clin, 2004. 20(1): p. 71-82, vii.
20. **A comparative study of structures comprising the thoracic outlet in 250 human cadavers and 72 surgical cases of thoracic outlet syndrome.** Redenbach, D.M. and Nelems, B., Eur J Cardiothorac Surg, 1998. 13(4): p. 353-60.
21. **Complications of surgery for thoracic outlet syndrome.** Leffert, R.D., Hand Clin, 2004. 20(1): p. 91-8.
22. **Compressive neuropathies of the upper extremity.** Spinner, R.J. and Amadio, P.C., Clin Plast Surg, 2003. 30(2): p. 155-73, vi.
23. **Compromising abnormalities of the brachial plexus as displayed by magnetic resonance imaging.** Collins, J.D., et al., Clin Anat, 1995. 8(1): p. 1-16.
24. **Congenital anomalies associated with thoracic outlet syndrome. Anatomy, symptoms, diagnosis, and treatment.** Roos, D.B., Am J Surg, 1976. 132(6): p. 771-8.
25. **770 consecutive supraclavicular first rib resections for thoracic outlet syndrome.** Hempel, G.K., et al., Ann Vasc Surg, 1996. 10(5): p. 456-63.
26. **The Conundrum of Thoracic Outlet Surgery.** Leffert, R.D., Techniques in Shoulder & Elbow Surgery, 2002. 3(4): p. 262-270.
27. **Developmental anomalies at the thoracic outlet: an analysis of 200 consecutive cases.** Makhoul, R.G. and Machleder, H.I., J Vasc Surg, 1992. 16(4): p. 534-42; discussion 542-5.

28. **Diagnosing thoracic outlet syndrome: contribution of provocative tests, ultrasonography, electrophysiology, and helical computed tomography in 48 patients.** Gillard, J., et al., Joint Bone Spine, 2001. 68(5): p. 416-24.
29. **Diagnosis and treatment of thoracic outlet syndrome.** Sheth, R.N. and Belzberg, A.J., Neurosurg Clin N Am, 2001. 12(2): p. 295-309.
30. **Diagnosis of vascular compression at the thoracic outlet using gadolinium-enhanced high-resolution ultrafast MR angiography in abduction and adduction.** Hagspiel, K.D., et al., Cardiovasc Intervent Radiol, 2000. 23(2): p. 152-4.
31. **Doppler Adson's test: predictor of outcome of surgery in non-specific thoracic outlet syndrome.** Lee, A.D., Agarwal, S., and Sadhu, D., World J Surg, 2006. 30(3): p. 291-2.
32. **Edgar J. Poth Lecture. Thoracic outlet syndromes: update 1987.** Roos, D.B., Am J Surg, 1987. 154(6): p. 568-73.
33. **Etiology and pathology.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 23-6.
34. **Etiology of neurogenic thoracic outlet syndrome.** Brantigan, C.O. and Roos, D.B., Hand Clin, 2004. 20(1): p. 17-22.
35. **Evaluation of MR angiographic technique in the assessment of thoracic outlet syndrome.** Charon, J.P., et al., Clin Radiol, 2004. 59(7): p. 588-95.
36. **Evaluation of the patient with thoracic outlet syndrome.** Mackinnon, S.E. and Novak, C.B., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 190-200.
37. **The false-positive rate of thoracic outlet syndrome shoulder maneuvers in healthy subjects.** Plewa, M.C. and Delinger, M., Acad Emerg Med, 1998. 5(4): p. 337-42.
38. **Functional anatomy of the thoracic outlet: evaluation with spiral CT.** Remy-Jardin, M., et al., Radiology, 1997. 205(3): p. 843-51.
39. **Gilliat-Sumner hand revisited: a 25-year experience.** Tender, G.C., et al., Neurosurgery, 2004. 55(4): p. 883-90; discussion 890.
40. **Helical computed tomography of the normal thoracic outlet.** Matsumura, J.S., et al., J Vasc Surg, 1997. 26(5): p. 776-83.
41. **Helical CT angiography of thoracic outlet syndrome.** Matsumura, J.S., Yao, J.S., and Nemcek, A.A., Jr., AJR Am J Roentgenol, 2001. 177(3): p. 714-5.
42. **Helical CT angiography of thoracic outlet syndrome: functional anatomy.**

- Remy-Jardin, M., et al., AJR Am J Roentgenol, 2000. 174(6): p. 1667-74.
43. **Hypertrophic non-union of the first rib causing thoracic outlet syndrome: a case report.** Suh, J.T., Park, B.G., and Yoo, C.I., J Korean Med Sci, 2001. 16(5): p. 673-6.
 44. **Imaging assessment of thoracic outlet syndrome.** Demondion, X., et al., Radiographics, 2006. 26(6): p. 1735-50.
 45. **Imaging of the peripheral nervous system: evaluation of peripheral neuropathy and plexopathy.** Maravilla, K.R. and Bowen, B.C., AJNR Am J Neuroradiol, 1998. 19(6): p. 1011-23.
 46. **Imaging the brachial plexus.** Amrami, K.K. and Port, J.D., Hand Clin, 2005. 21(1): p. 25-37.
 47. **Intraoperative thermographic monitoring during neurogenic thoracic outlet decompressive surgery.** Ellis, W. and Cheng, S., Vasc Endovascular Surg, 2003. 37(4): p. 253-7.
 48. **Lesions and nodes of the thoracic inlet.** Dalley, R.W., Semin Ultrasound CT MR, 1996. 17(6): p. 576-604.
 49. **Long-term follow-up and patient satisfaction after surgery for thoracic outlet syndrome.** Sharp, W.J., et al., Ann Vasc Surg, 2001. 15(1): p. 32-6.
 50. **Long-term results of surgical decompression of thoracic outlet compression syndrome.** Maxwell-Armstrong, C.A., et al., J R Coll Surg Edinb, 2001. 46(1): p. 35-8.
 51. **Magnetic resonance neurography.** Howe, F.A., et al., Magn Reson Med, 1992. 28(2): p. 328-38.
 52. **Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome.** Sanders, R.J. and Hammond, S.L., J Vasc Surg, 2002. 36(1): p. 51-6.
 53. **The middle scalene muscle and its contribution to the thoracic outlet syndrome.** Thomas, G.I., et al., Am J Surg, 1983. 145(5): p. 589-92.
 54. **MR imaging of the brachial plexus.** Reede, D.L., Magn Reson Imaging Clin N Am, 1997. 5(4): p. 897-906.
 55. **MR neurography and muscle MR imaging for image diagnosis of disorders affecting the peripheral nerves and musculature.** Filler, A.G., Maravilla, K.R., and Tsuruda, J.S., Neurol Clin, 2004. 22(3): p. 643-82, vi-vii.
 56. **MRI of the brachial plexus.** van Es, H.W., Eur Radiol, 2001. 11(2): p. 325-36.

57. **Multilevel nerve compression and muscle imbalance in work-related neuromuscular disorders.** Novak, C.B. and Mackinnon, S.E., Am J Ind Med, 2002. 41(5): p. 343-52.
58. **Navigating the thoracic inlet.** Chiles, C., Davis, K.W., and Williams, D.W., 3rd, Radiographics, 1999. 19(5): p. 1161-76.
59. **Nerve injury about the shoulder in athletes, part 2: long thoracic nerve, spinal accessory nerve, burners/stingers, thoracic outlet syndrome.** Safran, M.R., Am J Sports Med, 2004. 32(4): p. 1063-76.
60. **Nerves of the thorax: atlas of normal and pathologic findings.** Aquino, S.L., Duncan, G.R., and Hayman, L.A., Radiographics, 2001. 21(5): p. 1275-81.
61. **Nerves on magnetic resonance imaging.** Collins, J.D., et al., J Natl Med Assoc, 1989. 81(2): p. 129-34.
62. **Neurogenic thoracic outlet decompression: rationale for sparing the first rib.** Cheng, S.W., et al., Cardiovasc Surg, 1995. 3(6): p. 617-23; discussion: 624.
63. **Neurovascular compression in the thoracic outlet: changing management over 50 years.** Urschel, H.C., Jr. and Razzuk, M.A., Ann Surg, 1998. 228(4): p. 609-17.
64. **Noninvasive vascular laboratory for evaluation of peripheral arterial occlusive disease. Part III--Clinical applications: nonatherosclerotic lower extremity arterial conditions and upper extremity arterial disease.** Rose, S.C., J Vasc Interv Radiol, 2001. 12(1): p. 11-8.
65. **Outcome following surgery for thoracic outlet syndrome.** Bhattacharya, V., et al., Eur J Vasc Endovasc Surg, 2003. 26(2): p. 170-5.
66. **Outcomes after surgery for thoracic outlet syndrome.** Axelrod, D.A., et al., J Vasc Surg, 2001. 33(6): p. 1220-5.
67. **Outcomes of surgery in 1019 brachial plexus lesions treated at Louisiana State University Health Sciences Center.** Kim, D.H., et al., J Neurosurg, 2003. 98(5): p. 1005-16.
68. **Pathoanatomy and pathophysiology of nerve root compression.** Rydevik, B., Brown, M.D., and Lundborg, G., Spine, 1984. 9(1): p. 7-15.
69. **Peripheral nerve conduction in patients with a cervical rib and band.** Gilliat, R.W., et al., Ann Neurol, 1978. 4(2): p. 124-9.
70. **The place for scalenectomy and first-rib resection in thoracic outlet syndrome.** Roos, D.B., Surgery, 1982. 92(6): p. 1077-85.

71. **Recurrent neurogenic thoracic outlet syndrome.** Ambrad-Chalela, E., Thomas, G.I., and Johansen, K.H., Am J Surg, 2004. 187(4): p. 505-10.
72. **Recurrent thoracic outlet syndrome.** Atasoy, E., Hand Clin, 2004. 20(1): p. 99-105.
73. **Results of the surgical treatment for thoracic outlet syndrome.** Sanders, R.J., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 221-8.
74. **Scalene muscle abnormalities in traumatic thoracic outlet syndrome.** Sanders, R.J., et al., Am J Surg, 1990. 159(2): p. 231-6.
75. **Scalene muscles and the brachial plexus: anatomical variations and their clinical significance.** Harry, W.G., Bennett, J.D., and Guha, S.C., Clin Anat, 1997. 10(4): p. 250-2.
76. **Sectional neuroanatomy of the upper limb I: brachial plexus.** Taber, K.H., et al., J Comput Assist Tomogr, 2000. 24(6): p. 983-6.
77. **Sectional neuroanatomy of the upper thoracic spine and chest.** Taber, K.H., et al., J Comput Assist Tomogr, 2005. 29(2): p. 281-5.
78. **Selective botulinum chemodenervation of the scalene muscles for treatment of neurogenic thoracic outlet syndrome.** Jordan, S.E., et al., Ann Vasc Surg, 2000. 14(4): p. 365-9.
79. **Shoulder-arm pain from cervical bands and scalene muscle anomalies.** Liu, J.E., et al., J Neurol Sci, 1995. 128(2): p. 175-80.
80. **SIR 2003 film panel case 7: arterial thoracic outlet syndrome presenting with upper extremity emboli and posterior circulation stroke.** Matsen, S.L., et al., J Vasc Interv Radiol, 2003. 14(6): p. 807-12.
81. **Sonographic mapping of the normal brachial plexus.** Demondion, X., et al., AJNR Am J Neuroradiol, 2003. 24(7): p. 1303-9.
82. **Supraclavicular first rib resection and total scalenectomy: technique and results.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 61-70.
83. **Supraclavicular reoperation for neurogenic thoracic outlet syndrome.** Cheng, S.W. and Stoney, R.J., J Vasc Surg, 1994. 19(4): p. 565-72.
84. **Surgical management of thoracic outlet syndrome: a 10-year experience.** Samarasam, I., et al., ANZ J Surg, 2004. 74(6): p. 450-4.
85. **Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations.** Sheth, R.N. and Campbell, J.N., J Neurosurg Spine, 2005. 3(5): p. 355-63.

86. **Surgical treatment of thoracic outlet syndrome: effect and results of surgery.** Balci, A.E., et al., Ann Thorac Surg, 2003. 75(4): p. 1091-6; discussion 1096.
87. **The thoracic inlet: normal anatomy.** Reede, D.L., Semin Ultrasound CT MR, 1996. 17(6): p. 509-18.
88. **Thoracic Outlet Syndrome.** Kline DG, H.A., in *Nerve injuries: Operative Results from Major Nerve Injuries, Entrapments, and Tumors*. 1995, W.B. Saunders Company: Philadelphia. p. 473-493.
89. **Thoracic outlet syndrome.** Huang, J.H. and Zager, E.L., Neurosurgery, 2004. 55(4): p. 897-902; discussion 902-3.
90. **Thoracic outlet syndrome and the shoulder.** Leffert, R.D., Clin Sports Med, 1983. 2(2): p. 439-52.
91. **Thoracic outlet syndrome is underdiagnosed.** Roos, D.B., Muscle Nerve, 1999. 22(1): p. 126-9; discussion 137-8.
92. **Thoracic outlet syndrome surgery: long-term functional results.** Degeorges, R., Reynaud, C., and Becquemin, J.P., Ann Vasc Surg, 2004. 18(5): p. 558-65.
93. **Thoracic outlet syndrome. Results of 282 transaxillary first rib resections.** Leffert, R.D. and Perlmutter, G.S., Clin Orthop Relat Res, 1999.(368): p. 66-79.
94. **Thoracic Outlet Syndrome: A Common Sequella of Neck Injuries.** Sanders, R.J. and Haug, C.E. 1991: JB Lippincott Co.
95. **Thoracic outlet syndrome: a current overview.** Mackinnon, S.E., Patterson, G.A., and Novak, C.B., Semin Thorac Cardiovasc Surg, 1996. 8(2): p. 176-82.
96. **Thoracic outlet syndrome: anatomy.** Atasoy, E., Hand Clin, 2004. 20(1): p. 7-14, v.
97. **Thoracic outlet syndrome: evaluation of the subclavian vessels by color duplex sonography.** Longley, D.G., et al., AJR Am J Roentgenol, 1992. 158(3): p. 623-30.
98. **Thoracic outlet syndrome: evaluation with CT.** Bilbey, J.H., et al., Radiology, 1989. 171(2): p. 381-4.
99. **Thoracic outlet syndrome: pattern of clinical success after operative decompression.** Altobelli, G.G., et al., J Vasc Surg, 2005. 42(1): p. 122-8.
100. **Thoracic outlet syndrome: provocative examination maneuvers in a typical population.** Rayan, G.M. and Jensen, C., J Shoulder Elbow Surg, 1995. 4(2): p. 113-7.

101. **Thoracic outlet syndromes.** Leffert, R.D., Hand Clin, 1992. 8(2): p. 285-97.
102. **Thoracic outlet syndromes and magnetic resonance imaging.** Panegyres, P.K., et al., Brain, 1993. 116 (Pt 4): p. 823-41.
103. **Thoracic outlet syndromes: new concepts from a century of discovery.** Machleder, H.I., Cardiovasc Surg, 1994. 2(2): p. 137-45.
104. **Thoracic outlet: an anatomical redefinition that makes clinical sense.** Ranney, D., Clin Anat, 1996. 9(1): p. 50-2.
105. **Thoracic outlet: anatomic correlation with MR imaging.** Demondion, X., et al., AJR Am J Roentgenol, 2000. 175(2): p. 417-22.
106. **Thoracic outlet: assessment with MR imaging in asymptomatic and symptomatic populations.** Demondion, X., et al., Radiology, 2003. 227(2): p. 461-8.
107. **Three-dimensional MR angiography in the evaluation of thoracic outlet syndrome.** Dymarkowski, S., et al., AJR Am J Roentgenol, 1999. 173(4): p. 1005-8.
108. **[True neurological thoracic outlet syndrome].** Le Forestier, N., et al., Rev Neurol (Paris), 2000. 156(1): p. 34-40.
109. **Ultrasonographic Assessment of Arterial Cross-sectional Area in the Thoracic Outlet on Postural Maneuvers Measured With Power Doppler Ultrasonography in Both Asymptomatic and Symptomatic Populations.** Demondion, X., et al., J Ultrasound Med, 2006. 25(2): p. 217-24.
110. **Upper plexus thoracic outlet syndrome: optimal therapy.** Urschel, H.C., Jr. and Razzuk, M.A., Ann Thorac Surg, 1997. 63(4): p. 935-9.
111. **Upper plexus thoracic outlet syndrome--case report.** Matsuyama, T., Okuchi, K., and Goda, K., Neurol Med Chir (Tokyo), 2002. 42(5): p. 237-41.
112. **Variations of the course of the upper trunk of the brachial plexus and their clinical significance for the thoracic outlet syndrome: a study on 93 cadavers.** Natsis, K., et al., Am Surg, 2006. 72(2): p. 188-92.
113. **Venous thoracic outlet syndrome.** Sanders, R.J. and Hammond, S.L., Hand Clin, 2004. 20(1): p. 113-8, viii.
114. **Wasting of the hand associated with a cervical rib or band.** Gilliat, R.W., et al., J Neurol Neurosurg Psychiatry, 1970. 33(5): p. 615-24.